

**DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS**

DODISS NOTICE

15 SEPTEMBER 2001 / FOR PERIOD 1 SEPT 2001 TO 14 SEPT 2001 / VOL. 17/ NO. 01

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Document Automation and Production Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated. DOD documents are available after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

Notice

The SD-1 dated 1 September 2001 will be the last time that Non-Government Standards Bodies (NGSBs) are listed in this directory. NGSBs for which DOD employees have registered their participation, or from which Standardization Management Activities have adopted at least one standard, are listed in the Technical Committee Participation database on the Defense Standardization Program Web Site (www.dsp.dla.mil).

Since many of the distribution codes associated with each NGSB listed in the SD-1 were determined many years ago, we are finding that some are no longer accurate. Therefore, Standardization Management Activities interested in adopting a Non-Government Standard are advised to contact the respective NGSB to determine if they will provide free copies of standards for Department of Defense coordination review purposes.

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-DTL-6645J	PARACHUTES, PERSONNEL, GENERAL SPECIFICATION FOR[CUST: GL AS 11]	A	1670		11	31-AUG-01
N	A-A-59649	BEARING, ROLLER, TAPERED, SINGLE ROW, NORMAL ANGLE (TYPE TS)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS]	A	3110	/	GS4	31-AUG-01
N	A-A-59650	BEARING, ROLLER, TAPERED, SINGLE ROW, NORMAL ANGLE, FLANGED CUP (TYPE TSF)[CUST: AR YD 99] [REVIEW: 84 MC OS]	A	3110	/	GS4	31-AUG-01
N	A-A-59651	BEARING, ROLLER, TAPERED, SINGLE ROW, STEEP ANGLE (TYPE TSS)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS]	A	3110	/	GS4	31-AUG-01
N	A-A-59652	BEARING, ROLLER, TAPERED, SINGLE ROW, STEEP ANGLE, FLANGED CUP (TYPE TSSF)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS]	A	3110	/	GS4	31-AUG-01
N	A-A-59653	BEARING, ROLLER, TAPERED, DOUBLE ROW, ONE DOUBLE CONE, TWO SINGLE CUPS (TYPES TDI AND TDIS)[CUST: AR YD 99] [REVIEW: 84 MC OS]	A	3110	/	GS4	31-AUG-01
N	A-A-59654	BEARING, ROLLER, TAPERED, DOUBLE ROW, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP (TYPE TDO)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS]	A	3110	/	GS4	31-AUG-01
N	A-A-59655	BEARING, ROLLER, TAPERED, DOUBLE ROW, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP (TYPE TDOS)[CUST: AR YD 99] [REVIEW: 84 MC OS]	A	3110	/	GS4	31-AUG-01
N	A-A-59656	BEARING, ROLLER, TAPERED, DOUBLE ROW, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NONADJUSTABLE (TYPE TNA)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS]	A	3110	/	GS4	31-AUG-01
N	A-A-59657	BEARING, ROLLER, TAPERED, DOUBLE ROW, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NONADJUSTABLE (TYPE TNAS)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS]	A	3110	/	GS4	31-AUG-01
N	A-A-59658	BEARING, ROLLER, TAPERED, DOUBLE ROW, STRAIGHT BORE, TWO SINGLE CONES WITH CONTACTING FRONT FACES SLOTTED AND CHAMFERED FOR LUBRICATION, ONE DOUBLE CUP WITH LUBRICATION HOLES AND GROOVE (TYPE TNASW)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS]	A	3110	/	GS4	31-AUG-01
N	A-A-59659	BEARING, ROLLER, TAPERED, DOUBLE ROW, STRAIGHT BORE, TWO SINGLE CONES, CONE BACK FACE RIB GROUND ON THE OUTER DIAMETER FOR SEALING PURPOSES, ONE DOUBLE CUP WITH LUBRICATION HOLES AND GROOVE (TYPE TNASWE)[CUST: AR YD 99 GS4] [REVIEW: 84 MC OS]	A	3110	/	GS4	31-AUG-01
M	MIL-DTL-52471/5B(1)	HOSE, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100R2 DOUBLE-WIRE-BRAID REINFORCEMENT HOSE[CUST: AT SH 99 CC] [REVIEW: AR GL]	A	4720		CC	28-AUG-01
M	MIL-DTL-25677/1(1)	ADAPTER, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT[CUST: AS 99 CC] [REVIEW: 71]	A	4730		CC	15-AUG-01
M	MIL-W-12133/1C NOT 1	WASHER, SPRING TENSION, BELLEVILLE SPRING, SPRING STEEL[CUST: AR OS 99 IS] [REVIEW: 82 AS CR MC MI YD]	A	5310		IS	09-SEP-01
M	MIL-W-12133/2B NOT 1	WASHER, SPRING TENSION, BELLEVILLE SPRING, CORROSION RESISTANT STEEL[CUST: AR OS 99] [REVIEW: 82 AS AT CR CR4 MC MI YD]	A	5310		IS	09-SEP-01
M	MIL-W-12133/3 NOT 1	WASHER, SPRING TENSION, WAVE, COPPER-BERYLLIUM[CUST: AR OS 99] [REVIEW: 11 82 AS AT AV CR4 MC MI YD]	A	5310		IS	14-SEP-01
M	MIL-W-12133/6 NOT 1	WASHER, SPRING TENSION, WAVE, SPRING STEEL[CUST: AR OS 99] [REVIEW: 11 82 AS CR MC MI YD]	A	5310		IS	14-SEP-01
M	MS19069A NOT 1	WASHER, KEY, RETAINING, BALL AND ROLLER BEARING, LIGHT SERIES[CUST: AT OS 11] [REVIEW: 99 AR MC MI SA]	A	5310		IS	14-SEP-01
M	A-A-52427 NOT 1	NUT, PLAIN, SINGLE BALL SEAT, HEXAGON WHEEL MOUNTING - 3/4 AND 1-1/8 INCH[CUST: AT 99 IS] [REVIEW: 82 CR CR4 MI]	A	5310	/	IS	09-SEP-01
M	A-A-2738(1) NOT 1	SEALS, ANTIPILFRAGE[CUST: AR YD IS] [REVIEW: 99 CR4 MC SA SH]	A	5340	/	IS	09-SEP-01
M	A-A-55620A	LOOPS, SLIDE (FOR EQUIPAGE)[CUST: GL YD 99 IS]	A	5340	/	IS	20-AUG-01
M	MS51837 NOT 2	INSERT, SCREW THREAD - THREAD FORMING HOLE DIMENSIONS FOR AND INSTALLATION OF[CUST: AR AS 99] [REVIEW: 82 AT AV CR MC MI]	A	53GP		IS	14-SEP-01
M	MS51994A NOT 1	HOLE PREPARATION-RING LOCKED INSERTS AND STUDS, STANDARD DIMENSIONS FOR[CUST: AR AS 99] [REVIEW: 11 82 AT AV CR MC MI NS OS]	A	53GP		IS	14-SEP-01
M	MS51998 NOT 2	INSERT, SCREW THREAD-LOCKED IN, RING LOCKED, SERRATED, DESIGN AND USAGE LIMITATIONS FOR[CUST: AR AS 99] [REVIEW: 82]	A	53GP		IS	14-SEP-01
M	MS51999 NOT 2	STUD, LOCKED IN - RING LOCKED, SERRATED, DESIGN AND USAGE LIMITATIONS FOR[CUST: AR AS 99] [REVIEW: 11 82 AT AV MC MI OS]	A	53GP		IS	14-SEP-01
M	MIL-HDBK-57B NOT 1	LISTING OF FASTENER MANUFACTURERS' IDENTIFICATION SYMBOLS[CUST: IS]	A	53GP		IS	09-SEP-01
M	MIL-HDBK-271/103 NOT 1	AIRCRAFT FASTENER INSTALLATION & REMOVAL METHODS FOR ATTACHED RETENTION ELEMENT (A.R.E.) SELF-LOCKING FLOATING NUT ASSEMBLIES[CUST: AV AS 11 IS]	A	53GP		IS	09-SEP-01
M	MIL-HDBK-271/104 NOT 1	AIRCRAFT FASTENERS INSTALLATION AND REMOVAL METHODS FOR MIL B 8831 & MIL B 85667 EXPANDABLE STRAIGHT SHANK BOLTS (SLEEVEBOLTS)[CUST: AV AS 11 IS]	A	53GP		IS	09-SEP-01
M	MIL-HDBK-271/105 NOT 2	AIRCRAFT FASTENERS USAGE AND INSTALLATION FOR MIL-S-85069 FASTENER SLEEVES[CUST: AV AS 11 IS] [REVIEW: 99 AR]	A	53GP		IS	09-SEP-01
M	MIL-HDBK-271/106 NOT 1	STRUCTURAL PANEL FASTENERS-INSTALLATION & REMOVAL METHODS FOR MIL-F-85616, MIL-F-85617 & MIL-F-85618[CUST: AV AS 11 IS]	A	53GP		IS	09-SEP-01
M	A-A-55562A	RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP[CUST: EC CC]	A	5905	/	CC	30-AUG-01
M	A-A-55562/1A	RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP, STYLE 0603[CUST: EC CC]	A	5905	/	CC	30-AUG-01
M	A-A-55562/2A	RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP, STYLE 0805[CUST: EC CC]	A	5905	/	CC	30-AUG-01
M	A-A-55562/3A	RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP, STYLE 1206[CUST: EC CC]	A	5905	/	CC	30-AUG-01
M	A-A-55562/4A	RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP, STYLE 1210[CUST: EC CC]	A	5905	/	CC	30-AUG-01
N	A-A-55562/5	RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP, STYLE 0402[CUST: EC CC]	A	5905	/	CC	30-AUG-01
M	QPL-39015-70	RESISTORS, VARIABLE, WIRE WOUND (LEAD SCREW ACTUATED), NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5905		CR	30-AUG-01
M	QPL-39017-78	RESISTORS, FIXED, FILM (INSULATED) NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5905		CR	30-AUG-01
M	QPL-55342-85	RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR	A	5905		CR	30-AUG-01
M	MIL-PRF-20H(3) SUP 1B	CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5910		CC	25-JAN-01
M	QPL-39018-68	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CC	05-SEP-01
M	MIL-PRF-19207/9J(1)	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL18G1 AND FHL18G2[CUST: CR SH 11 CC] [REVIEW: 19 70 71 84 99 AR AS AT CR4 MC MI OS]	A	5920		CC	31-AUG-01
M	QPL-7703-11	GUARD, SWITCH	A	5930		CC	04-SEP-01
M	MIL-DTL-38999/28F	CONNECTORS, ELECTRICAL, CIRCULAR, NUT, HEXAGON, CONNECTOR MOUNTING, SERIES III AND IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI SH]	A	5935		CC	11-JUN-01
M	MIL-C-55181/1C NOT 1	CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF), TYPE MW, SOCKET CONTACT, 4 TERMINAL[CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	07-SEP-01
M	MIL-C-55181/2C NOT 1	CONNECTOR, RECEPTACLE, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF), TYPE MW, PIN CONTACT, 4 TERMINAL[CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	07-SEP-01

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-C-55181/3C NOT 1	CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, PIN CONTACT, 4 TERMINAL[CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	07-SEP-01
M	MIL-C-55181/4C NOT 1	CONNECTOR, RECEPTACLE, ELECTRICAL[CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	07-SEP-01
M	MIL-C-55181/5C NOT 1	CONNECTOR, PLUG, ELECTRICAL[CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	07-SEP-01
M	MIL-C-55181/6C NOT 1	CONNECTOR, RECEPTACLE, ELECTRICAL[CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	07-SEP-01
M	MIL-C-55181/7C NOT 1	CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, PIN CONTACT, 18 TERMINAL[CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	07-SEP-01
M	MIL-C-55181/8C NOT 1	CONNECTOR, RECEPTACLE, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, SOCKET CONTACT, 18 TERMINAL[CUST: CR EC 11] [REVIEW: 99]	A	5935		CC	07-SEP-01
M	MIL-STD-1632A NOT 1	INSERT ARRANGEMENTS FOR MIL-C-28804 HIGH DENSITY, RECTANGULAR, ELECTRICAL CONNECTORS[Interface Standard][CUST: CR EC 11] [REVIEW: 99 AM AR AS AT CR4 MC MI]	A	5935		CC	07-SEP-01
M	A-A-55463A NOT 1	CONNECTORS, ELECTRICAL, POWER, RECEPTACLE HOUSINGS, POLARIZED[CUST: CC]	A	5935	/	CC	07-SEP-01
M	A-A-55464A NOT 1	CONNECTORS, ELECTRICAL, POWER, PLUG HOUSINGS, POLARIZED[CUST: CC]	A	5935	/	CC	07-SEP-01
M	A-A-55465A NOT 1	CONNECTORS, ELECTRICAL, POWER, SAFETY SHIELD, CLAM SHELL[CUST: CC]	A	5935	/	CC	07-SEP-01
M	A-A-55466A NOT 1	CONNECTORS, ELECTRICAL, POWER, CRIMP TO WIRE SOCKETS[CUST: CC]	A	5935	/	CC	07-SEP-01
M	A-A-55467A NOT 1	CONNECTORS, ELECTRICAL, POWER, CRIMP TO WIRE, SPLIT PIN[CUST: CC]	A	5935	/	CC	07-SEP-01
M	A-A-55468A NOT 1	CONNECTORS, ELECTRICAL, POWER, CRIMP TO WIRE, SOLID PIN[CUST: CC]	A	5935	/	CC	07-SEP-01
M	W-C-596/107A	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/109B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/111A	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/112A	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, DUPLEX, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/113B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/114B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/116A	CONNECTORS, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/117A	CONNECTORS, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/118B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/120A	CONNECTORS, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/121A	CONNECTORS, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/122B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/124A	CONNECTORS, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/125A	CONNECTORS, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/128A	CONNECTORS, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3 PHASE[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/129B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 3 POLE, 4 WIRE, 30 AMPERES 250 VOLTS, 50/60 HERTZ, 3-PHASE[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/130B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	W-C-596/132A	CONNECTORS, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3 PHASE, Y[CUST: CR YD 11 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	08-AUG-01
M	MIL-PRF-19500/427H(2)	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N5614, 1N5616, 1N5618, 1N5620, 1N5622, 1N5614EG1, 1N5616EG1, 1N5618EG1, 1N5620EG1, 1N5622EG1, 1N5614UL, 1N5616UL, 1N5618UL, 1N5620UL, 1N5622UL, 1N5614US, 1N5616US, 1N5618US, 1N5620US, 1N5622US, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR NW 11 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961		CC	07-SEP-01
M	MIL-PRF-19500/435E(2)	SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW-NOISE VOLTAGE REGULATOR TYPES 1N4099-1, THROUGH 1N4135-1, 1N4614-1 THROUGH 1N4627-1, 1N4099UR-1 THROUGH 1N4135UR-1, 1N4614UR-1 THROUGH 1N4627UR-1, PLUS C AND D TOLERANCE SUFFIX DEVICES JAN, JANTX, JANTXV, JANJ, JANS, JANHC, AND JANKC[CUST: CR NW 11 CC NA] [REVIEW: 19 70 80 AR AS AV MC MI SM]	A	5961		CC	14-SEP-01
M	MIL-PRF-19500/604A(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE CHARACTERIZATION ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7272, 2N7275, 2N7278, AND 2N7281 JANTXVM, D, R, AND JANSM, D AND R[CUST: CR NW 11 CC NA] [REVIEW: 19 70 AV MI TD]	A	5961		CC	14-SEP-01
M	MIL-PRF-19500/676A(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7465T3 AND 2N7466T3 AND U3 SUFFIXES JANTXVR AND JANSR[CUST: CR NW 11 CC NA] [REVIEW: MI]	A	5961		CC	14-SEP-01
M	MIL-DTL-3928/7D	SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL) (MANUALLY AND SOLENOID OPERATED) CLASSES 1 (TYPE N CONNECTORS) AND 7 (TYPE BNC CONNECTORS)[CUST: CR EC 11 CC] [REVIEW: 99 AV MC MI]	A	5985		CC	15-AUG-01
M	MIL-DTL-3928/8D	SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY AND MANUALLY OPERATED) CLASS 7[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5985		CC	15-AUG-01
M	MIL-DTL-3928/9D	SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL) (MANUALLY AND MOTOR OPERATED) CLASS 1 (TYPE N CONNECTORS)[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AT AV CR4 MC MI OS]	A	5985		CC	05-JUL-01
M	MIL-DTL-3928/10E	SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 1[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5985		CC	15-AUG-01
M	MIL-DTL-3928/15E	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) (OPTIONAL VENTING FOR SPACE APPLICATIONS) CLASS 5, IP2T[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS]	A	5985		CC	05-JUL-01
M	MIL-DTL-3928/16B	SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, IP3T[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5985		CC	15-AUG-01

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-DTL-3928/17B	SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P4T[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5985		CC	15-AUG-01
M	MIL-DTL-3928/18C	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P6T[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC MI OS]	A	5985		CC	15-AUG-01
M	MIL-DTL-3928/19D	SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, TR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC MI OS SH]	A	5985		CC	15-AUG-01
M	MIL-DTL-3928/20D	SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 4, 1P2T[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5985		CC	15-AUG-01
M	MIL-DTL-3928/21C	SWITCHES, RADIO-FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 4, TR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC MI OS SH]	A	5985		CC	15-AUG-01
M	MIL-DTL-23971C	POWDER DIVIDERS, POWER COMBINERS, AND POWER DIVIDER/COMBINERS GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC]	A	5985		CC	20-AUG-01
M	MIL-P-23971/2A(2)	POWER DIVIDERS, 4 PORT QUADRATURE, SMA CONNECTORS[CUST: CR EC 11 CC] [REVIEW: AS MC OS]	A	5985		CC	20-AUG-01
M	MIL-P-23971/6A(1)	POWER DIVIDER/COMBINERS, N-WAY, 0 DEGRESS, TO-5[CUST: CR EC 11 CC] [REVIEW: AS MC OS]	A	5985		CC	20-AUG-01
M	MIL-P-23971/8(1) NOT 1	POWER DIVIDERS, QUADRATURE, FLAT PACK[CUST: CR EC 11 CC] [REVIEW: AS MC OS]	A	5985		CC	20-AUG-01
M	MIL-P-23971/13(1) NOT 1	POWER DIVIDER/COMBINERS, 2 WAY, 180 DEGREES, SMA CONNECTORS[CUST: CR EC 11 CC] [REVIEW: AS MC OS]	A	5985		CC	20-AUG-01
M	MIL-P-23971/14(2)	POWER DIVIDER/COMBINERS, N-WAY, 0 DEGREES, FLAT PACK[CUST: CR EC 11 CC] [REVIEW: AS MC OS]	A	5985		CC	20-AUG-01
M	MIL-P-23971/15(1) NOT 1	POWER DIVIDER/COMBINERS, N- WAY, 0 DEGREES, RECTANGULAR, PC PINS[CUST: CR EC 11 CC] [REVIEW: AS MC OS]	A	5985		CC	20-AUG-01
M	MIL-P-23971/16(2)	POWER DIVIDER/COMBINERS, N-WAY, 0 DEGREES, SMA CONNECTORS[CUST: CR EC 11 CC] [REVIEW: AS MC OS]	A	5985		CC	20-AUG-01
M	MIL-P-23971/17(1) NOT 1	POWER DIVIDER/COMBINERS, N-WAY, 0 DEGREES, TNC CONNECTORS[CUST: CR EC 11 CC] [REVIEW: AS MC OS]	A	5985		CC	20-AUG-01
M	QPL-24728-4	INTERCONNECTION BOX, FIBER OPTIC, METRIC, GENERAL SPECIFICATION FOR	A	6099		SH	18-FEB-00
M	MS24526D NOT 3	BASE, AIRPORT MARKER LIGHT[CUST: AS 99 IS] [REVIEW: YD]	A	6210		IS	14-SEP-01
M	MS25331C NOT 1	LIGHT ASSEMBLY, PRESS TO TEST INDICATOR[CUST: AS 99] [REVIEW: AT AV CR4 MI]	A	6210		IS	14-SEP-01
M	MS17245E NOT 1	LIGHT, COCKPIT, UTILITY[CUST: AV AS 99 IS] [REVIEW: 82]	A	6220		IS	14-SEP-01
M	MS17246B NOT 2	MOUNTING BASE, COCKPIT UTILITY[CUST: AV AS 99 IS] [REVIEW: 82]	A	6220		IS	14-SEP-01
M	MS35420A NOT 1	LENS, CLEARANCE MARKER LIGHT, BLACKOUT[CUST: MC] [REVIEW: 11 AS]	A	6220		IS	14-SEP-01
M	MS35421A NOT 1	LENS, CLEARANCE MARKER LIGHT, SERVICE[CUST: MC] [REVIEW: 11 AS]	A	6220		IS	14-SEP-01
M	MS51073A NOT 2	LIGHT, DOME: 24 VOLT DC[CUST: IS] [REVIEW: CR4]	A	6220		IS	14-SEP-01
M	MS51319B NOT 1	HEADLIGHT, SERVICE, 24-VOLT, WATERPROOF[CUST: AT 99 IS]	A	6220		IS	14-SEP-01
M	MS21998C NOT 1	FLASHLIGHT, PENLIGHT STYLE[CUST: AV AS 99 IS]	A	6230		IS	14-SEP-01
M	MS15534A NOT 1	LAMP, INCANDESCENT, T-7, CANDELABRA SCREW[CUST: SH IS]	A	6240		IS	14-SEP-01
M	MS15535K NOT 1	LAMPS, INCANDESCENT, SEALED BEAM, PAR-56, SCREW TERMINAL BASE[CUST: CR4 SH 99 IS] [REVIEW: 11 AT MC SA]	A	6240		IS	14-SEP-01
M	MS16563B NOT 1	LAMP, INCANDESCENT, R-30 MEDIUM SCREW[CUST: SH IS]	A	6240		IS	14-SEP-01
M	MS18235C NOT 1	LAMP, CARTRIDGE, SHORT CYLINDRICAL, PLUG-IN, INCANDESCENT, PLASTIC (FLAT LENS TYPE)[CUST: CR 99 IS] [REVIEW: 11 AR AS AV CR4 MC SH]	A	6240		IS	14-SEP-01
M	MS18236C NOT 1	LAMP, CARTRIDGE, STOVEPIPE, PLUG IN, NEON, PLASTIC (CURVED LENS TYPE)[CUST: CR 99 IS] [REVIEW: 11 AR AS MC SH]	A	6240		IS	14-SEP-01
M	MS18237C NOT 1	LAMP, CARTRIDGE, LONG CYLINDRICAL, PLUG-IN, NEON, PLASTIC (FLAT LENS TYPE)[CUST: CR 99 IS] [REVIEW: 11 AR AS MC SH]	A	6240		IS	14-SEP-01
M	MS18238C NOT 1	LAMP, CARTRIDGE, SHORT CYLINDRICAL, PLUG-IN, INCANDESCENT, GLASS (FLAT TYPE)[CUST: CR 99 IS] [REVIEW: 11 AR AS MC SH]	A	6240		IS	14-SEP-01
M	MS24513E NOT 1	LAMP, INCANDESCENT, SINGLE CONTACT BAYONET INDEXING CANDELABRA, GG-12B1 BULB[CUST: AV AS 99 IS] [REVIEW: 82 CR]	A	6240		IS	14-SEP-01
M	MS51608A NOT 1	LAMP, INCANDESCENT, T-1 1/4 SPECIAL SCREW BASE (956)[CUST: AR IS]	A	6240		IS	14-SEP-01
M	MIL-PRF-3627F	PENETROMETERS, SOIL: DIAL INDICATING AND SPRING INDICATING[CUST: CE3 99] [REVIEW: 82 GS MT TM]	A	6635		CE3	31-JUL-01
M	A-A-50062A	SCALES, SPRING, (SUSPENSION MOUNTED)[CUST: GL YD 99 GS1] [REVIEW: MS]	A	6670	/	GS1	30-AUG-01
M	A-A-52021A	SCALE, BEAM INDICATING; WEIGHING SENSITIVE TO 1 GRAM[CUST: CE 99 GS1] [REVIEW: 71 SM]	A	6670	/	GS1	30-AUG-01
M	A-A-52563A	PLANIMETERS, POLAR, COMPENSATING, WITH CASE[CUST: CE3 99] [REVIEW: GS]	A	6675	/	CE3	27-AUG-01
M	A-A-52564A	STEREOSCOPE, LENS-PRISM-MIRROR, AERIAL PHOTOGRAPH INTERPRETATION (WITH BINOCULARS AND CASE)[CUST: CE3 99] [REVIEW: GS]	A	6675	/	CE3	27-AUG-01
M	A-A-59664A	CLEANING COMPOUND, WINDSHIELD (SOLVENT AND ANTI-FREEZE)[CUST: GS3]	A	6850	/	GS3	30-AUG-01
M	A-A-52560A	STOOL, STRAIGHT[CUST: CE3] [REVIEW: GL]	A	7110	/	CE3	27-AUG-01
M	MIL-S-11388D NOT 2	SEALING MATERIAL FOR METAL CONTAINER SEAMS[CUST: EA]	A	8030		EA	27-OCT-99
N	A-A-59464	PLASTIC PLASTISOL (FOR COATING METALLIC OBJECTS)[CUST: AT SH 84] [REVIEW: 99 AS CG MR]	A	8030	/	AT	11-SEP-01
M	A-A-50493B	OIL, PENETRATING (FOR LOOSENING FROZEN METALLIC PARTS)[CUST: AT SH 68 GS3]	A	9150	/	GS3	30-AUG-01
M	STANAG-2805 ED.5	FORDING AND FLOTATION REQUIREMENTS FOR COMBAT AND SUPPORT GROUND VEHICLES	C	ISDA		AI	07-OCT-97
M	STANAG-4133 ED.2(1)	METHOD OF SPECIFYING ELECTRICAL POWER SUPPLIES: STANDARD TYPES OF ELECTRICAL POWER (W/AMENDMENT 1 INCORPORATED)	C	ISDA		AI	07-JUL-92
M	STANAG-4134 ED.2(2)	ELECTRICAL CHARACTERISTICS OF ROTATING 28-VOLT DC GENERATING SETS (W/AMENDMENT 2 INCORPORATED)	C	ISDA		AI	15-MAR-91
M	STANAG-4135 ED.2(1)	ELECTRICAL CHARACTERISTICS OF ROTATING ALTERNATING CURRENT GENERATING SETS (W/AMENDMENT 1 INCORPORATED)	C	ISDA		AI	05-NOV-92
M	STANAG-4164 ED.2	TEST PROCEDURES FOR ARMOUR PERFORATION TESTS OF ARMOUR DEFEATING AMMUNITION	C	ISDA		AI	05-NOV-98
M	STANAG-4172(2)	5.56 MM AMMUNITION (LINKED OR OTHERWISE) (W/AMENDMENT 2 INCORPORATED)	C	ISDA		AI	03-JAN-95
M	STANAG-4190 ED.2	TEST PROCEDURES FOR MEASURING BEHIND-ARMOUR EFFECTS OF ANTI-ARMOUR AMMUNITION	C	ISDA		AI	05-NOV-98
N	STANAG-4236 ED.1	LIGHTNING ENVIRONMENTAL CONDITIONS, AFFECTING THE DESIGN OF MATERIEL, FOR USE BY THE NATO FORCES	C	ISDA		AI	08-MAR-93
N	STANAG-4239 ED.1	ELECTROSTATIC DISCHARGE, MUNITIONS TEST PROCEDURES	C	ISDA		AI	22-NOV-96
M	STANAG-4297 ED.2	GUIDANCE ON THE ASSESSMENT OF THE SAFETY AND SUITABILITY FOR SERVICE OF MUNITIONS FOR NATO ARMED FORCES - AOP-15	C	ISDA		AI	16-FEB-01
N	STANAG-4312 ED.1	INTEROPERABILITY OF ARMY SHORT RANGE AIR DEFENCE SURVEILLANCE, COMMAND AND CONTROL SYSTEMS - PART 2: COMMON INTERFACE REQUIREMENTS AND BIT-ORIENTED MESSAGES	C	ISDA		AI	21-AUG-95

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
N	STANAG-4312/1 ED.1	INTEROPERABILITY OF ARMY SHORT RANGE AIR DEFENCE SURVEILLANCE, COMMAND AND CONTROL SYSTEMS - PART 1: INFORMATION EXCHANGE REQUIREMENTS (IERS) FOR DEVELOPING COMMON CHARACTER ORIENTED MESSAGE TEXT FORMATS (MFTS) FOR USE IN IMMEDIATE FUTURE	C	ISDA		AI	26-JUL-90
M	STANAG-4328 ED.1(1)	GUIDELINES FOR THE ARMORED FIGHTING VEHICLES DESIGNER TO IMPROVE NUCLEAR RADIATION PROTECTION -AEP-14 (W/AMENDMENT 1 INCORPORATED)	C	ISDA		AI	29-JAN-91
N	STANAG-4334 ED.1(1)	ELECTRICAL POWER CONDITIONERS, SOLID STATE, GENERAL PURPOSE FOR INTEROPERABILITY (W/AMENDMENT INCORPORATED)	C	ISDA		AI	18-FEB-92
N	STANAG-4395 ED.2	BRAKE ANTI-LOCK DEVICE CONNECTORS FOR TACTICAL LAND VEHICLES AND TRAILERS FITTED WITH ANTI-LOCK BRAKING SYSTEMS	C	ISDA		AI	10-MAY-01
N	STANAG-4443 ED.1	EXPLOSIVES UNIAXIAL COMPRESSIVE TEST	C	ISDA		AI	14-JUL-98
N	STANAG-4455 ED.1	STANDARDIZATION OF VME BUS FOR USE IN TACTICAL LAND VEHICLES	C	ISDA		AI	25-JUN-96
N	STANAG-4458 ED.1	AMMUNITION FOR RIFLED TANK GUNS 105MM	C	ISDA		AI	
M	ACMP-2 ED.1	NATO REQUIREMENTS FOR CONFIGURATION IDENTIFICATION	C	ISDF		06	29-FEB-96
M	AIR-STD-70/13(2)	THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF AIRBORNE DOPPLER NAVIGATION SYSTEMS	C	ISDF		06	24-AUG-01
M	MIL-PRF-89034(1)	DIGITAL POINT POSITIONING DATA BASE (DPPDB)[CUST: TI NO 09 DC2] [REVIEW: 33 AV CE2 CG DH DI MC NS US]	A	MCGT		MP	27-JUN-00
M	FED-STD-H28A NOT 1	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES[CUST: AR AS 99 IS]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/4 NOT 3	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 4, CONTROLLED RADIUS ROOT SCREW THREADS, UNJ SYMBOL[CUST: AR AS 99]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/5 NOT 3	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 5, UNIFIED MINIATURE SCREW THREADS[CUST: AR AS 99]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/6A(1) NOT 1	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 6 GAGES AND GAGING FOR UNIFIED SCREW THREADS-UN AND UNR THREAD FORMS[CUST: AR AS 99 IS] [REVIEW: AT AV CR4 EC GL OS SH]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/7A NOT 3	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 7 PIPE THREADS, GENERAL PURPOSE[CUST: AR AS 99 IS] [REVIEW: AT CR4 GL MI YD]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/9A NOT 2	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 9 GAS CYLINDER VALVE OUTLET AND INLET THREADS[CUST: AR AS 99 IS] [REVIEW: 19 68 GS]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/11 NOT 3	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 11, HOSE CONNECTIONS FOR WELDING AND CUTTING EQUIPMENT[CUST: AR AS 99]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/12A NOT 2	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 12 ACME THREADS[CUST: AR AS 99 IS] [REVIEW: 19 82 EC]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/13A NOT 2	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 13, STUB ACME THREADS [CUST: AR AS 99 IS] [REVIEW: EC]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/14A NOT 3	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 14 BUTTRESS SCREW THREADS-7 DEG./45 DEG. FLANK ANGLES[CUST: AR AS 99] [REVIEW: 19 80 82 AT AV EC MI]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/15B NOT 1	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 15 ROLLED THREADS FOR SCREW-SHELLS FOR ELECTRIC LAMP HOLDERS AND LAMP BASES[CUST: AR AS 99 IS] [REVIEW: 82 CR CR4 EC GS MI OS SH YD]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/16 NOT 3	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 16 MICROSCOPE OBJECTIVE AND NOISE PIECE, 0.800 - 36AMO[CUST: AR AS 99]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/17A NOT 2	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 17 SURVEYING INSTRUMENT MOUNTING THREADS[CUST: AR AS 99 IS]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/18B NOT 1	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 18 PHOTOGRAPHIC EQUIPMENT THREADS[CUST: AR AS 99 IS]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/19A NOT 2	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 19, MISCELLANEOUS THREADS[CUST: AR AS 99]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/21B NOT 3	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 21 METRIC SCREW-THREADS[CUST: AR AS 99 IS] [REVIEW: AT AV CR4 GL MI OS SH YD]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/22A(1) NOT 1	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 22 GAGES AND GAGING FOR METRIC SCREW THREADS-M AND MJ THREAD FORMS[CUST: AR AS 99 IS] [REVIEW: 82 AT AV CR CR4 OS SH]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/23 NOT 2	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 23 CLASS 5 INTERFERENCE-FIT SCREW THREADS[CUST: AR AS 99 IS] [REVIEW: 19 AT AV CR CR4 EC MI]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/8B NOT 1	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 8 DRYSEAL PIPE THREADS[CUST: AR AS IS] [REVIEW: AT CR4 MI OS]	A	THDS	/	IS	10-SEP-01
M	FED-STD-H28/10A NOT 1	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 10 HOSE COUPLING AND FIRE HOSE COUPLING SCREW THREADS[CUST: AR AS 99] [REVIEW: 82 84 AT CC SH YD]	A	THDS	/	IS	10-SEP-01
M	MIL-HDBK-60 NOT 1	THREADED FASTENERS - TIGHTENING TO PROPER TENSION[CUST: AR AS 99 IS] [REVIEW: 11 19 82 AT AV CR CR4 MI]	A	THDS		IS	09-SEP-01

INACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep Acty	Date
M	MIL-DTL-13183D	SMOKE POT, HC, 30-POUND, ABC-M5[CUST: EA 99] [REVIEW: 70]	D	1365		EA	31-AUG-01
M	QPL-24489-9	LIFEBOAT, INFLATABLE MARK 6, 25-PERSON CAPACITY	A	1940		SH	06-JUL-01
M	KKK-L-370D NOT 3	LINING, FRICTION, (CLUTCH AND BRAKE, METALLIC, METAL-CERAMIC AND SEMI-METALLIC)(CUST: AT AS CC) [REVIEW: MC]	A	2520	/	CC	09-AUG-01
M	XX-C-2816 NOT 1	COMPRESSOR, AIR, RECIPROCATING OR ROTARY, ELECTRIC MOTOR DRIVEN, STATIONARY, 10 HP AND LARGER[CUST: SH CC] [REVIEW: SA]	A	4310	/	CC	23-AUG-01
M	MS35459B NOT 1	SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, PHOSPHATE, UNC-3A[CUST: AR SH] [REVIEW: 99 CR4 MC MI]	A	5305		IS	14-SEP-01
M	MS35460B NOT 1	SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, PHOSPHATE, UNF-3A[CUST: AR SH] [REVIEW: MC MI]	A	5305		IS	14-SEP-01
M	AN101001THRUAN101100 REV 3 NOT 2	BOLT - HEX HEAD, .190-32[CUST: AV AS 99 IS] [REVIEW: 82 MI]	A	5306		IS	14-SEP-01
M	AN101101THRUAN101200 REV 3 NOT 2	BOLT - HEX HEAD .250-28[CUST: AV AS 99 IS] [REVIEW: 82 CR4]	A	5306		IS	14-SEP-01
M	AN101201THRUAN101300 REV 3 NOT 2	BOLT - HEX HEAD .3125-24[CUST: AV AS 11] [REVIEW: 82 CR4 MI]	A	5306		IS	14-SEP-01
M	AN101301THRUAN101400 REV 3 NOT 2	BOLT - HEX HEAD .375-24[CUST: AV AS 99 IS] [REVIEW: 82 CR4]	A	5306		IS	14-SEP-01
M	AN101401THRUAN101500 REV 3 NOT 2	BOLT - HEX HEAD .4375-20[CUST: AS 11]	A	5306		IS	14-SEP-01
M	AN101501THRUAN101600 REV 3 NOT 2	BOLT - HEX HEAD .500-20[CUST: AV AS 11]	A	5306		IS	14-SEP-01
M	AN101601THRUAN101700 REV 3 NOT 2	BOLT - HEX HEAD .5625-18[CUST: AS 99] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN101701THRUAN101800 REV 3 NOT 2	BOLT - HEX HEAD .625-18 (INACTIVE AFTER 3 MAR 1969)[CUST: AV AS 11]	A	5306		IS	14-SEP-01
M	AN101901THRUAN102000 REV 3 NOT 2	BOLT - HEX HEAD, DRILLED SHANK, .190-32[CUST: AV AS 99 IS]	A	5306		IS	14-SEP-01
M	AN102001THRUAN102100 REV 3 NOT 2	BOLT - HEX HEAD, DRILLED SHANK, .250-28[CUST: AV AS 99 IS] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN102101THRUAN102200 REV 3 NOT 2	BOLT - HEX HEAD, DRILLED SHANK, .3125-24[CUST: AV AS 99 IS] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN102201THRUAN102300 REV 3 NOT 2	BOLT - HEX HEAD, DRILLED SHANK, .375-24[CUST: AS 99] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN102301THRUAN102400 REV 3 NOT 2	BOLT - HEX HEAD, DRILLED SHANK, .4375-20[CUST: AS 99] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN102401THRUAN102500 REV 3 NOT 2	BOLT - HEX HEAD, DRILLED SHANK, .500-20[CUST: AS 99 IS] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN102501THRUAN102600 REV 3 NOT 2	BOLT - HEX HEAD, DRILLED SHANK, .5625-18[CUST: AS 99 IS] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN102601THRUAN102700 REV 3 NOT 2	BOLT - HEX HEAD, DRILLED SHANK, .625-18[CUST: AS 99 IS] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN102701THRUAN102800 REV 3 NOT 2	BOLT - HEX HEAD, DRILLED SHANK, .750-16[CUST: AV AS 11] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN102801THRUAN102900 REV 3 NOT 2	BOLT - DRILLED HEX HEAD, 1 HOLE, .190-32[CUST: AV AS 99 IS] [REVIEW: 82 CR4]	A	5306		IS	14-SEP-01
M	AN102901THRUAN103000 REV 3 NOT 2	BOLT - DRILLED HEX HEAD, 1 HOLE, .250-28[CUST: AV AS 99 IS] [REVIEW: 82 CR4]	A	5306		IS	14-SEP-01
M	AN103001THRUAN103100 REV 5 NOT 2	BOLT - DRILLED HEX HEAD, 1 HOLE, .3125-24[CUST: AV AS IS]	A	5306		IS	14-SEP-01
M	AN103101THRUAN103200 REV 3 NOT 2	BOLT - DRILLED HEX HEAD, 1 HOLE, .375-24[CUST: AV AS 99 IS] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN103201THRUAN103300 REV 3 NOT 2	BOLT - DRILLED HEX HEAD, 1 HOLE, .4375-20[CUST: AV AS 11] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN103301THRUAN103400 REV 3 NOT 2	BOLT - DRILLED HEX HEAD, 1 HOLE, .500-20[CUST: AS 99] [REVIEW: 82 MI]	A	5306		IS	14-SEP-01
M	AN103501THRUAN103600 REV 3 NOT 2	BOLT - DRILLED HEX HEAD, 1 HOLE, .625-18[CUST: AV AS 99 IS] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN103601THRUAN103700 REV 3 NOT 2	BOLT - DRILLED HEX HEAD, 1 HOLE, .750-16[CUST: AS 99] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN103701THRUAN103800 REV 3 NOT 2	BOLT - DRILLED HEX HEAD, 6 HOLES, .190-32[CUST: AV AS 99 IS] [REVIEW: 82 MI]	A	5306		IS	14-SEP-01
M	AN103801THRUAN103900 REV 2 NOT 2	BOLT - DRILLED HEX HEAD, 6 HOLES, .250-28[CUST: AV AS 99 IS] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN103901THRUAN104000 REV 3 NOT 2	BOLT - DRILLED HEX HEAD, 6 HOLES, .3125-24[CUST: AV AS 99 IS] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN104001THRUAN104100 REV 3 NOT 2	BOLT - DRILLED HEX HEAD, 6 HOLES, .375-24[CUST: AV AS 99 IS] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN104101THRUAN104200 REV 3 NOT 2	BOLT - DRILLED HEX HEAD, 6 HOLES, .4375-20[CUST: AV AS 99 IS]	A	5306		IS	14-SEP-01
M	AN104201THRUAN104300 REV 3 NOT 2	BOLT - DRILLED HEX HEAD, 6 HOLES, .500-20[CUST: AV AS 99 IS] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN104301THRUAN104400 REV 3 NOT 2	BOLT - DRILLED HEX HEAD, 6 HOLES, .5625-18[CUST: AV AS 99 IS] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	AN104401THRUAN104500 REV 3 NOT 2	BOLT - DRILLED HEX HEAD, 6 HOLES, .625-18[CUST: AS 99 IS] [REVIEW: 82]	A	5306		IS	14-SEP-01
M	MS35425E NOT 1	NUT PLAIN, WING, UNC-2B[CUST: AR 99 IS] [REVIEW: AT AV CR4 MC MI YD]	A	5310		IS	14-SEP-01
M	AN121551THRUAN121575 REV 2 NOT 2	NUT, PLAIN, CASTELLATED HEXAGON[CUST: AV AS 99 IS] [REVIEW: 82]	A	5310		IS	09-SEP-01
M	MIL-K-25049C(1) NOT 1	KNOBS, CONTROL, ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR[CUST: CR AS 11]	A	5355		IS	20-AUG-01
M	MIL-C-18312F	CAPACITORS, FIXED, METALLIZED (PAPER-PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AS MC MI OS]	A	5910		CC	27-AUG-01
M	MIL-C-18312/2C	CAPACITORS, FIXED, METALLIZED (PAPER-PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLE CH09[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS]	A	5910		CC	27-AUG-01
M	MIL-C-18312/3C	CAPACITORS, FIXED, METALLIZED (PAPER-PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLE CH12[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS]	A	5910		CC	27-AUG-01
M	MIL-C-18312/4C	CAPACITORS, FIXED, METALLIZED (PAPER-PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLE CH53[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS]	A	5910		CC	27-AUG-01
M	MIL-C-18312/5C	CAPACITORS, FIXED, METALLIZED (PAPER-PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLE CH54[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS]	A	5910		CC	27-AUG-01
M	MIL-DTL-3928/11C	SWITCH, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 7[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5985		CC	15-AUG-01
M	MS51302B NOT 2	STOPLIGHT, VEHICULAR-BLACKOUT, 24 VOLT[CUST: AT MC 99 IS]	A	6220		IS	14-SEP-01

CANCELED SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER		DOCUMENT TITLE		Distribution	FSC/Area	MCA	Prep. Acty	Date
M	FF-B-187/1	NOT 1	BEARING, ROLLER, TAPERED, SINGLE ROW, NORMAL ANGLE (TYPE TS) (S/S BY A-A-59649)(CUST: AR YD 99 GS4) [REVIEW: 84 MC OS]		A	3110	/	GS4	31-AUG-01
M	FF-B-187/2	NOT 1	BEARING, ROLLER, TAPERED, SINGLE ROW, NORMAL ANGLE, FLANGED CUP (TYPE TSF) (S/S BY A-A-59650)(CUST: AR YD 99) [REVIEW: 84 MC OS]		A	3110	/	GS4	31-AUG-01
M	FF-B-187/3	NOT 1	BEARING, ROLLER, TAPERED, SINGLE ROW, STEEP ANGLE (TYPE TSS) (S/S BY A-A-59651)(CUST: AR YD 99 GS4) [REVIEW: CR4 GL MC MI OS]		A	3110	/	GS4	31-AUG-01
M	FF-B-187/4	NOT 1	BEARING, ROLLER, TAPERED, SINGLE ROW, STEEP ANGLE, FLANGED CUP (TYPE TSSF) (S/S BY A-A-59652)(CUST: AR YD 99 GS4) [REVIEW: CR4 GL MC MI OS]		A	3110	/	GS4	31-AUG-01
M	FF-B-187/5	NOT 1	BEARING, ROLLER, TAPERED, DOUBLE ROW, ONE DOUBLE CONE, TWO SINGLE CUPS, (TYPES TDI AND TDIS) (S/S BY A-A-59653)(CUST: AR YD 99) [REVIEW: 84 MC OS]		A	3110	/	GS4	31-AUG-01
M	FF-B-187/6	NOT 1	BEARING, ROLLER, TAPERED, DOUBLE ROW, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, (TYPE TDO) (S/S BY A-A-59654)(CUST: AR YD 99 GS4) [REVIEW: CR4 GL MC MI OS]		A	3110	/	GS4	31-AUG-01
M	FF-B-187/7	NOT 1	BEARING, ROLLER, TAPERED, DOUBLE ROW, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP (TYPE TDOS) (S/S BY A-A-59655)(CUST: AR YD 99) [REVIEW: 84 MC OS]		A	3110	/	GS4	31-AUG-01
M	FF-B-187/8	NOT 1	BEARING, ROLLER, TAPERED, DOUBLE ROW, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NONADJUSTABLE (TYPE TNA) (S/S BY A-A-59656)(CUST: AR YD 99 GS4) [REVIEW: CR4 GL MC MI OS]		A	3110	/	GS4	31-AUG-01
M	FF-B-187/9	NOT 1	BEARING, ROLLER, TAPERED, DOUBLE ROW, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NONADJUSTABLE (TYPE TNAS) (S/S BY A-A-59657)(CUST: AR YD 99 GS4) [REVIEW: CR4 GL MC MI OS]		A	3110	/	GS4	31-AUG-01
M	FF-B-187/10	NOT 1	BEARING, ROLLER, TAPERED, DOUBLE ROW, STRAIGHT BORE, TWO SINGLE CONES WITH CONTACTING FRONT FACES SLOTTED AND CHAMFERED FOR LUBRICATION, ONE DOUBLE CUP WITH LUBRICATION HOLES AND GROVE (TYPE TNASW) (S/S BY A-A-59658)(CUST: AR YD 99 GS4) [REVIEW: CR4 GL MC MI OS]		A	3110	/	GS4	31-AUG-01
M	FF-B-187/11	NOT 1	BEARING, ROLLER, TAPERED, DOUBLE ROW, STRAIGHT BORE, TWO SINGLE CONES, CONE BACK FACE RIB GROUND ON THE OUTER DIAMETER FOR SEALING PURPOSES, ONE DOUBLE CUP WITH LUBRICATION HOLES AND GROOVE (TYPE TNASWE) (S/S BY A-A-59659)(CUST: AR MC 99 GS4) [REVIEW: 84 OS YD]		A	3110	/	GS4	31-AUG-01
M	OO-P-2873	NOT 1	PRESS, HYDRAULIC, PORTABLE, WITH DIES FOR SWAGING, 500-TON, GASOLINE-ENGINE-DRIVEN (NO S/S DOCUMENT)(CUST: CR4 YD 99) [REVIEW: 84]		A	3442	/	GS6	06-SEP-01
M	OO-I-1874B	NOT 1	IRONER, FLATWORK, LARGE ROLL, COMMERCIAL (APRONLESS) (NO S/S DOCUMENT)(CUST: GL YD 99 IS) [REVIEW: MC MD]		A	3510	/	IS	06-SEP-01
M	OO-I-2100	NOT 1	IRONER, FLATWORK, COMMERCIAL (NO S/S DOCUMENT)(CUST: GL YD 99 IS) [REVIEW: MC MD]		A	3510	/	IS	06-SEP-01
M	OO-L-2880	NOT 1	LAUNDRY UNIT, SKID-MOUNTED, 100 POUNDS (DRY WEIGHT) PER HOUR (NO S/S DOCUMENT)(CUST: GL YD 99) [REVIEW: GS]		A	3510	/	IS	06-SEP-01
M	RR-L-2847	NOT 1	LOAD-TRANSFER DEVICES (FOR CONCRETE SLABS AND PAVEMENTS) (NO S/S DOCUMENT)(CUST: CR4 YD 99) [REVIEW: 84]		A	3630	/	GS6	06-SEP-01
M	OO-H-2899	NOT 1	HOOK, DRAWBAR, LOGGING (NO S/S DOCUMENT)(CUST: AT YD 99) [REVIEW: 84]		A	3695	/	GS6	06-SEP-01
M	OO-G-630F	NOT 1	GRADER, ROAD, MOTORIZED (NO S/S DOCUMENT)(CUST: CR4 YD IS) [REVIEW: AT CC MC]		A	3805	/	IS	06-SEP-01
M	OO-D-2854	NOT 1	DITCHING MACHINE, WHEEL TYPE TRENCHER, CRAWLER-MOUNTED, DIESEL-ENGINE-DRIVEN (NO S/S DOCUMENT)(CUST: YD) [REVIEW: CC]		A	3805	/	IS	06-SEP-01
M	KKK-L-1542D	NOT 1	LOADER, SCOOP TYPE, ARTICULATED, FOUR-WHEEL DRIVE (NO S/S DOCUMENT)(CUST: YD IS) [REVIEW: CC]		A	3805	/	IS	06-SEP-01
M	OO-C-2774	NOT 1	CRANES, ROUGH TERRAIN, HYDRAULIC, FULL REVOLVING, WHEEL MOUNTED, 4X4, DED (NO S/S DOCUMENT)(CUST: YD)		A	3810	/	IS	06-SEP-01
M	OO-C-2821	NOT 1	CRANES, TRUCK-MOUNTED, TWO-ENGINE DRIVEN, LATTICE TYPE BOOM, DED (NO S/S DOCUMENT)(CUST: YD 99) [REVIEW: 84 MC]		A	3810	/	IS	06-SEP-01
M	OO-M-2829	NOT 1	MIXING PLANT, ASPHALT, DRUM TYPE PORTABLE, DED, 70 TPH (63 500 KG/HR) CAPACITY (NO S/S DOCUMENT)(CUST: YD IS)		A	3895	/	IS	31-AUG-01
M	OO-R-2853	NOT 1	ROLLER, MOTORIZED, VIBRATING DRUM, ARTICULATED, PNEUMATIC TIRE (NO S/S DOCUMENT)(CUST: YD) [REVIEW: CC]		A	3895	/	IS	06-SEP-01
M	OO-C-2804	NOT 1	CONVEYOR, BELT, PORTABLE, DED, GED, OR EMD (NO S/S DOCUMENT)(CUST: CR4 YD) [REVIEW: CC]		A	3910	/	IS	06-SEP-01
M	KKK-T-654D	NOT 1	TRUCK, DOLLY (ROLLER) (NO S/S DOCUMENT)(CUST: AT SA 99 IS) [REVIEW: 84]		A	3920	/	IS	06-SEP-01
M	PPP-D-1427A	NOT 1	DUNNAGE, PNEUMATIC, CARGO SHORING (NO S/S DOCUMENT)(CUST: AT SA IS) [REVIEW: AS MC MT OS]		A	3990	/	IS	06-SEP-01
M	PPP-D-1427A(II)	NOT 1	DUNNAGE, PNEUMATIC, CARGO SHORING (NO S/S DOCUMENT)		A	3990	#	FSS	06-SEP-01
M	OO-A-373D	NOT 1	AIR CONDITIONERS, SINGLE PACKAGE TYPE (NO S/S DOCUMENT)(CUST: YD 99) [REVIEW: 82 CC MC]		A	4120	/	IS	06-SEP-01
M	OO-A-374C	NOT 1	AIR CONDITIONERS WITH REMOTE CONDENSING UNITS OR REMOTE AIR-COOLED, AND WATER-COOLED CONDENSER UNITS, UNITARY (NO S/S DOCUMENT)(CUST: CR4 YD 99) [REVIEW: 82 CE CR MC]		A	4120	/	IS	06-SEP-01
M	OO-C-2858	NOT 1	COOLERS, AIR, EVAPORATIVE (NO S/S DOCUMENT)(CUST: YD 99)		A	4120	/	IS	06-SEP-01
M	XX-C-2812(1)	NOT 1	COMPRESSOR, AIR, DIESEL-ENGINE-DRIVEN, PORTABLE, WHEEL-MOUNTED (S/S BY A-A-59611)(CUST: AT SH 99 CC) [REVIEW: 84 SA]		A	4310	/	CC	24-AUG-01
M	WW-S-2811	NOT 1	SINKS, SCULLERY SERVICE AND DRAINBOARDS (NO S/S DOCUMENT)(CUST: YD 99) [REVIEW: GS MC]		A	4510	/	IS	06-SEP-01
M	F-B-2835	NOT 1	BOILER, STEAM, LOW PRESSURE, FIRETUBE (NO S/S DOCUMENT)(CUST: YD) [REVIEW: CC CE]		A	4520	/	IS	06-SEP-01
M	F-T-2907	NOT 1	TANKS, POTABLE HOT WATER STORAGE (NO S/S DOCUMENT)(CUST: YD 99) [REVIEW: CE CG MC MD]		A	4520	/	IS	06-SEP-01
M	F-P-2908	NOT 1	PUMPING UNITS, CONDENSATE, RETURN; AND BOILER FEED PACKAGE (NO S/S DOCUMENT)(CUST: CR4 YD 99) [REVIEW: 84 CC]		A	4520	/	IS	06-SEP-01
M	S-U-2833	NOT 1	UNIT HEATER, AIR-CIRCULATING, STEAM - HOT WATER (NO S/S DOCUMENT)(CUST: YD 99) [REVIEW: 84 CC]		A	4520	/	IS	06-SEP-01
M	F-B-2909	NOT 1	BURNERS, SINGLE: LIGHT OIL, GAS, AND LIGHT OIL-GAS COMBINATION FOR PACKAGED HEATING BOILERS (UP TO 320,000 BTU/HR THERMAL OUTPUT CAPACITY) (NO S/S DOCUMENT)(CUST: CR4 YD 99) [REVIEW: 84 CC MC]		A	4530	/	IS	06-SEP-01
M	F-B-2910	NOT 1	BURNERS, SINGLE: OIL, GAS, AND GAS-OIL COMBINATION FOR PACKAGED BOILERS (320,001 TO 125,000,000 BTU/HR THERMAL OUTPUT CAPACITY) (NO S/S DOCUMENT)(CUST: CE YD 99) [REVIEW: 84 CC MC]		A	4530	/	IS	06-SEP-01
M	F-S-2911	NOT 1	STOKERS, MECHANICAL: FOR PACKAGED BOILERS FIRED ON COAL OR A COMBINATION OF COAL-GAS, COAL-OIL, OR COAL-GAS-OIL (2,000,000 TO 50,000,000 BTU/HR THERMAL OUTPUT CAPACITY) (NO S/S DOCUMENT)(CUST: CE YD) [REVIEW: CC MC]		A	4530	/	IS	06-SEP-01
M	ZZ-H-521F	NOT 1	HOSE AND HOSE ASSEMBLIES, NONMETALLIC, SPRAY (S/S BY A-A-59613)(CUST: CR4 YD 99) [REVIEW: 71 CG MC SA]		A	4720	/	CC	16-AUG-01
M	WW-C-624E	NOT 1	COUPLING ASSEMBLY, HOSE (GARDEN, WATER, AND WATER SUCTION) (S/S BY A-A-59614)(CUST: CR4 YD 99) [REVIEW: 71 SA]		A	4730	/	CC	21-AUG-01
M	GGG-J-1564C	NOT 1	JACKS, DOLLY TYPE, HYDRAULIC, AUTOMOTIVE (S/S BY A-A-59545)(CUST: AR SH 99 CC) [REVIEW: AT SA]		A	4910	/	CC	27-JUL-01
M	OO-L-2788	NOT 1	LUBRICATING AND SERVICING UNIT, POWER-OPERATED, PORTABLE, INDUSTRIAL TYPE (NO S/S DOCUMENT)(CUST: YD) [REVIEW: CC]		A	4930	/	IS	06-SEP-01
M	OO-W-891E(1)	NOT 1	WRENCH, IMPACT, PNEUMATIC, PORTABLE (NO S/S DOCUMENT)(CUST: GL SH 99) [REVIEW: 84]		A	5130	/	SH	06-SEP-01
M	QPL-OO-W-891-68(2)	NOT 1	WRENCH, IMPACT, PNEUMATIC, PORTABLE (NO S/S DOCUMENT)		A	5130	/	SH	06-SEP-01

CANCELED SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M FF-F-133A NOT 1	FASTENERS, WOOD JOINT, CORRUGATED (SAW EDGE) (NO S/S DOCUMENT)[CUST: AR YD 99 IS] [REVIEW: 82 AT CR4 GL MC SA]	A	5315	/	IS	06-SEP-01
M FF-T-1813 NOT 1	TACK (NO S/S DOCUMENT)[CUST: AR YD 99 IS] [REVIEW: 82 AT CR4 MC SA SH]	A	5315	/	IS	06-SEP-01
M F-C-2916 NOT 1	CAPS, VENT, FUEL STORAGE TANK (NO S/S DOCUMENT)[CUST: YD 99] [REVIEW: 82 84]	A	5430	/	YD	06-SEP-01
M CCC-W-408D NOT 1	WALL COVERING, VINYL-COATED (NO S/S DOCUMENT)[CUST: YD] [REVIEW: CR4 SH]	A	5640	/	IS	06-SEP-01
M RR-G-1602D NOT 1	GRATING, METAL, OTHER THAN BAR TYPE (FLOOR, EXCEPT FOR NAVAL VESSELS) (NO S/S DOCUMENT)[CUST: YD 99] [REVIEW: 84]	A	5670	/	IS	06-SEP-01
M MIL-C-5/2G(1) NOT 2	CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 20 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH]	A	5910		CC	27-AUG-01
M MIL-C-5/4E(1) NOT 2	CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 30 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH]	A	5910		CC	27-AUG-01
M MIL-C-5/8G NOT 2	CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM50 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 99 CR4 MI]	A	5910		CC	27-AUG-01
M MIL-C-5/9F(2) NOT 3	CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM55 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 99]	A	5910		CC	27-AUG-01
M MIL-C-5/10G(1) NOT 3	CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM60 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 99]	A	5910		CC	27-AUG-01
M MIL-C-5/11E(1) NOT 3	CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM65, CM66, AND CM68 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 99 CG CR4 MC]	A	5910		CC	27-AUG-01
M MIL-C-5/14F(2) NOT 2	CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM80, CM81, AND CM83 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 99 CG MC OS]	A	5910		CC	27-AUG-01
M MIL-C-5/15F(2) NOT 2	CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM85, CM86, AND CM88 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC OS SH]	A	5910		CC	27-AUG-01
M MIL-C-5/16F(2) NOT 3	CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM90, CM91, AND CM93 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH]	A	5910		CC	27-AUG-01
M MIL-C-5/17F(2) NOT 1	CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM95 (NO S/S DOCUMENT)[CUST: CR EC 11] [REVIEW: 19 AS MC OS SH]	A	5910		CC	27-AUG-01
M MIL-C-20/1C(1) NOT 2	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (UNINSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC20 (NO S/S DOCUMENT)[CUST: CR EC 11] [REVIEW: 99 AS MC SH]	A	5910		CC	27-AUG-01
M MIL-C-20/3B(1) NOT 2	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC22 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 99 AS MC OS SH]	A	5910		CC	27-AUG-01
M MIL-C-20/6B(1) NOT 2	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC27 (NO S/S DOCUMENT)[CUST: CR EC 11] [REVIEW: 99 AS MC SH]	A	5910		CC	27-AUG-01
M MIL-C-20/7B(1) NOT 2	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (UNINSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC30 (NO S/S DOCUMENT)[CUST: CR EC 11] [REVIEW: 99 AS MC SH]	A	5910		CC	27-AUG-01
M MIL-C-20/16D(1) NOT 2	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC50 (NO S/S DOCUMENT)[CUST: CR EC 11] [REVIEW: 99 AS MC OS SH]	A	5910		CC	27-AUG-01
M MIL-C-20/17C(1) NOT 2	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC51 (NO S/S DOCUMENT)[CUST: CR EC 11] [REVIEW: 99 AS MC OS SH]	A	5910		CC	27-AUG-01
M MIL-C-20/18C(1) NOT 2	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC52 (NO S/S DOCUMENT)[CUST: CR EC 11] [REVIEW: 99 AS MC OS SH]	A	5910		CC	27-AUG-01
M MIL-C-20/19B NOT 3	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC53 (NO S/S DOCUMENT)[CUST: CR EC 11] [REVIEW: AS MC OS SH]	A	5910		CC	27-AUG-01
M MIL-C-25/15C(1) NOT 2	CAPACITORS, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLE CP91 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 99 AR AS MI OS]	A	5910		CC	27-AUG-01
M MIL-C-11272/5B(1) NOT 2	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY12 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS]	A	5910		CC	15-AUG-01
M MIL-C-11272/6A(1) NOT 2	CAPACITOR, FIXED, GLASS DIELECTRIC, STYLE CY13 (NO S/S DOCUMENT)[CUST: CR EC 11] [REVIEW: 19 AS MI OS]	A	5910		CC	15-AUG-01
M MIL-C-11272/7B(1) NOT 2	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY16 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS]	A	5910		CC	15-AUG-01
M MIL-C-11272/8A(1) NOT 2	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY17 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AS MI OS]	A	5910		CC	15-AUG-01
M MIL-C-11272/12B(1) NOT 2	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY32 (NO S/S DOCUMENT)[CUST: CR EC 11] [REVIEW: 19 AS MI OS]	A	5910		CC	15-AUG-01
M MIL-C-18312/7B(2) NOT 1	CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES) STYLE CH72 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC OS]	A	5910		CC	27-AUG-01
M MIL-F-15733/16D NOT 2	FILTER, RADIO FREQUENCY INTERFERENCE, STYLE FL74 (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH]	A	5915		CC	05-SEP-01
M MS3188B NOT 1	BACKSHELL, 90 DEG, CABLE SEALING AND TERMINATION CONNECTOR, ELECTRIC (S/S BY MIL-C-85049/8, /9 AND /24)[CUST: AS CC] [REVIEW: EC MI]	A	5935		CC	10-AUG-01
M MIL-L-28796/1A NOT 1	LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 1 5/8 INCH ELBOWS (NO S/S DOCUMENT)[CUST: EC CC] [REVIEW: AS MC OS SH]	A	5985		CC	29-AUG-01
M MIL-L-28796/2 NOT 1	LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 3-1/8 INCH ELBOWS (NO S/S DOCUMENT)[CUST: EC CC] [REVIEW: AS MC OS SH]	A	5985		CC	29-AUG-01
M MIL-L-28796/3A NOT 1	LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 1 5/8 INCH GAS BARRIER (NO S/S DOCUMENT)[CUST: EC CC] [REVIEW: AS MC OS SH]	A	5985		CC	29-AUG-01
M MIL-L-28796/5A NOT 1	LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 1-5/8 INCH STRAIGHT SECTIONS FLANGED (NO S/S DOCUMENT)[CUST: EC CC] [REVIEW: AS MC OS SH]	A	5985		CC	29-AUG-01
M MIL-L-28796/6 NOT 1	LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION 3-1/8 INCH STRAIGHT SECTIONS, FLANGED (NO S/S DOCUMENT)[CUST: EC CC] [REVIEW: AS MC OS SH]	A	5985		CC	29-AUG-01
M MIL-L-28796/7A NOT 1	LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION 1 5/8 INCH STRAIGHT FLEXIBLE SECTIONS, FLANGED (NO S/S DOCUMENT)[CUST: EC CC] [REVIEW: AS MC OS SH]	A	5985		CC	29-AUG-01
M MIL-L-28796/8 NOT 1	LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION 3 1/8 INCH STRAIGHT FLEXIBLE SECTIONS, FLANGED (NO S/S DOCUMENT)[CUST: EC CC] [REVIEW: AS MC OS SH]	A	5985		CC	29-AUG-01
M MIL-L-28796/9A NOT 1	LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION REDUCER, FLANGE TYPE, 3-1/8 TO 1-5/8 INCH 50 OHM (NO S/S DOCUMENT)[CUST: EC CC] [REVIEW: AS MC OS SH]	A	5985		CC	29-AUG-01
M W-P-115C NOT 1	PANEL, POWER DISTRIBUTION (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 80 MC SH]	A	6110	/	GS2	06-SEP-01
M MIL-C-22931/10 NOT 1	CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .500 INCH OUTSIDE DIAMETER, 75 OHMS (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS]	A	6145		CC	29-AUG-01

CANCELED SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MIL-C-22931/12 NOT 1	CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .875 TO 1.005 INCHES OUTSIDE DIAMETER, 75 OHMS (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS]	A	6145		CC	29-AUG-01
M MIL-C-22931/14 NOT 1	CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, 1.625 INCHES OUTSIDE DIAMETER, 75 OHMS (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS]	A	6145		CC	29-AUG-01
M MIL-C-22931/15A(2) NOT 1	CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, 2.850 AND 3.125 INCHES OUTSIDE DIAMETER, 50 OHMS (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS]	A	6145		CC	29-AUG-01
M MIL-C-22931/16 NOT 1	CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC 3.125 INCHES OUTSIDE DIAMETER, 75 OHMS (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS]	A	6145		CC	29-AUG-01
M MIL-C-22931/18 NOT 3	CABLES, RADIO FREQUENCY SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC 0.620 INCH OUTSIDE DIAMETER, 50 OHMS (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS]	A	6145		CC	29-AUG-01
M MIL-C-28830/2 NOT 1	CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, FOAM DIELECTRIC, 7/8 INCH, NOMINAL 50 OHMS (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC SH]	A	6145		CC	28-AUG-01
M MIL-C-28830/6 NOT 1	CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1/4 INCH NOMINAL, 50 OHMS (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC SH]	A	6145		CC	28-AUG-01
M MIL-C-28830/7 NOT 1	CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1/2 INCH NOMINAL, 50 OHMS (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC SH]	A	6145		CC	28-AUG-01
M MIL-C-28830/8 NOT 1	CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1/4 INCH NOMINAL, 75 OHMS (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC SH]	A	6145		CC	28-AUG-01
M MIL-C-28830/9 NOT 1	CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 3/8 INCH NOMINAL, 50 OHMS (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC SH]	A	6145		CC	28-AUG-01
M MIL-C-28830/10 NOT 1	CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1/2 INCH NOMINAL, 75 OHMS (NO S/S DOCUMENT)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC SH]	A	6145		CC	28-AUG-01
M J-L-2744 NOT 1	LEADS, ELECTRICAL, ARC-WELDING (NO S/S DOCUMENT)[CUST: CR4 YD 99] [REVIEW: 80 CR]	A	6150	/	GS2	06-SEP-01
M QPL-18052-14 NOT 1	LAMP, MERCURY XENON VAPOR, SEARCHLIGHT (NO S/S DOCUMENT)	A	6240		SH	20-MAR-01
M A-A-51384B NOT 1	NAFCILLIN SODIUM FOR INJECTION, USP (NO S/S DOCUMENT)[CUST: MD MS 03 MB]	A	6505	/	MB	31-AUG-01
M A-A-53711 NOT 1	NAPHAZOLINE HYDROCHLORIDE AND ANTAZOLINE PHOSPHATE OPHTHALMIC SOLUTION (NO S/S DOCUMENT)[CUST: MD MS 03 MB]	A	6505	/	MB	31-AUG-01
M A-A-54469 NOT 1	NEOMYCIN AND POLYMYXIN B SULFATES AND HYDROCORTISONE OTIC SOLUTION, USP (NO S/S DOCUMENT)[CUST: MD MS 03 MB]	A	6505	/	MB	31-AUG-01
M A-A-54470 NOT 1	NEOMYCIN AND POLYMYXIN B SULFATES AND HYDROCORTISONE OTIC SUSPENSION, USP (NO S/S DOCUMENT)[CUST: MD MS 03 MB]	A	6505	/	MB	31-AUG-01
M A-A-54590 NOT 1	NEOMYCIN AND POLYMYXIN B SULFATES, BACITRACIN ZINC, AND HYDROCORTISONE OPHTHALMIC OINTMENT, USP (NO S/S DOCUMENT)[CUST: MD MS 03]	A	6505	/	MB	31-AUG-01
M A-A-55477 NOT 1	MULTIMETER, HANDHELD, 3/23 DIGIT, COMBINATION MULTIMETER/OSCILLOSCOPE (NO S/S DOCUMENT)[CUST: CC]	A	6625	/	CC	31-AUG-01
M A-A-55511 NOT 1	MULTIMETER, 3 1/2 DIGIT, DIGITAL DISPLAY, HAND HELD (NO S/S DOCUMENT)[CUST: CC]	A	6625	/	CC	31-AUG-01
M FED-STD-170B NOT 3	FILM, PHOTOGRAPHIC, BLACK AND WHITE, CLASSIFICATION AND TESTING METHODS (NO S/S DOCUMENT)[CUST: CR AS 99] [REVIEW: 11 AR AV GS MI]	A	6750	/	70	06-SEP-01
M O-T-370 NOT 1	THIONYL CHLORIDE, REAGENT (NO S/S DOCUMENT)[CUST: EA SH 68] [REVIEW: GS]	A	6810	/	EA	06-SEP-01
M AA-B-2892 NOT 1	BED, BUNK, STEEL, SINGLE AND DOUBLE-DECK (CONVERTIBLE TYPE) (NO S/S DOCUMENT)[CUST: GL YD 99] [REVIEW: 84]	A	7105	/	IS	06-SEP-01
M AA-P-2930 NOT 1	PANEL FOR BUNK BED (NO S/S DOCUMENT)[CUST: GL YD] [REVIEW: MC MD]	A	7105	/	IS	06-SEP-01
M AA-L-2931 NOT 1	LOCKER, CLOTHING, STEEL, TWO DOOR (NO S/S DOCUMENT)[CUST: GL YD 99] [REVIEW: 84 SA]	A	7125	/	IS	06-SEP-01
M OO-M-280G(3) NOT 1	MEAT SLICER, HAND-OPERATED, AND MEAT SLICING MACHINE, ELECTRIC (NO S/S DOCUMENT)[CUST: SH] [REVIEW: MC MS SA]	A	7320	/	SH	06-SEP-01
M A-A-344B NOT 1	LACQUER, CLEAR GLOSS, EXTERIOR, INTERIOR (NO S/S DOCUMENT)[CUST: MR SH 99]	A	8010	*	AV	26-JUL-01
M A-A-713 NOT 1	AEROSOL FLUORESCENT LACQUER (NO S/S DOCUMENT)	A	8010	#	FSS	26-JUL-01
M A-A-3127 NOT 1	COATING SYSTEM: ALUMINUM EPOXY MASTIC FOR MINIMALLY PREPARED ATMOSPHERIC STEEL (NO S/S DOCUMENT)[CUST: CE 99] [REVIEW: 84]	A	8010	*	FSS	26-JUL-01
M TT-C-555B(1) NOT 1	COATING, TEXTURED (FOR INTERIOR AND EXTERIOR MASONRY SURFACES) (NO S/S DOCUMENT)[CUST: YD] [REVIEW: CG]	A	8010	/	IS	06-SEP-01
M MIL-P-20689D(3) NOT 2	PLASTIC PLASTISOL (FOR COATING METALLIC OBJECTS) (S/S BY A-A-59464)[CUST: AT SH 84] [REVIEW: 99 AS CG MR]	A	8030		AT	11-SEP-01
M TT-C-494B NOT 2	COATING COMPOUND, BITUMINOUS, SOLVENT TYPE ACID-RESISTANT (NO S/S DOCUMENT)[CUST: MR SH 99] [REVIEW: 11 84 CR4 YD]	A	8030	/	MR	06-SEP-01
M VV-I-2117 NOT 1	INSULATING FLUID, ELECTRICAL, SILICONE (NO S/S DOCUMENT)[CUST: AR 68] [REVIEW: CE MR MS]	A	9160	/	AR	06-SEP-01
M A-A-56029 NOT 1	MOLDING MATERIAL, SHEET, FIBER REINFORCED (NO S/S DOCUMENT)[CUST: MI AS 99] [REVIEW: 84 MR]	A	9330	/	MI	06-SEP-01
M L-P-1041A NOT 2	PLASTIC MOLDING AND EXTRUSION MATERIAL, VINYLIDENE CHLORIDE VINYL CHLORIDE COPOLYMER (NO S/S DOCUMENT)[CUST: MR 11] [REVIEW: AS CR CR4 EC GL GS MI OS]	A	9330	/	MR	06-SEP-01
M ASTM-D1925	YELLOWNESS INDEX OF PLASTICS (NO S/S DOCUMENT)[CUST: EA AS 99]	A	9330		EA	26-SEP-00
M MIL-HDBK-766 NOT 1	DESIGN TO COST (NO S/S DOCUMENT)[CUST: MI AS 11] [REVIEW: 19 AR EA EC GS]	A	MISC		MI	06-SEP-01
M ISO9000-2	GUIDELINES, GENERIC, FOR THE APPLICATION OF ISO 9001, ISO 9002 AND ISO 9003, QUALITY MANAGEMENT AND QUALITY ASSURANCE PART 2 - (NO S/S DOCUMENT)[CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 80 82 84 AS AT AV CR DH EA EC MC MI SH TE]	A	QCIC		05	01-JUN-01
M ISO9004-2	QUALITY MANAGEMENT AND QUALITY SYSTEM ELEMENTS -- PART 2: GUIDELINES FOR SERVICES (NO S/S DOCUMENT)[CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 80 82 84 AS AT AV CR DH EA EC MC MI SH TE]	A	QCIC		05	01-JUN-01
M ISO9004-3	QUALITY MANAGEMENT AND QUALITY SYSTEM ELEMENTS -- PART 3: GUIDELINES FOR PROCESSED MATERIALS (NO S/S DOCUMENT)[CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 80 82 84 AS AT AV CR DH EA EC MC MI SH TE]	A	QCIC		05	01-JUN-01
M ISO9004-4	QUALITY MANAGEMENT AND QUALITY SYSTEM ELEMENTS--PART 4: GUIDELINES FOR QUALITY IMPROVEMENT (NO S/S DOCUMENT)[CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 80 82 84 AS AT AV CR DH EA EC MC MI SH TE]	A	QCIC		05	01-JUN-01